





# **IMNI**


UNC is probably the only one company in Cyprus that, along with supply and manufacturing, provides Designing and Installation, from experienced Acoustic Consultants and Installers respectively. Moreover, UNC has acoustic material in stock and the probably only one in Cyprus, brand-new showroom with exclusively acoustic materials and systems.







SYSTEM



# mSystem Modular

A modular ceiling system, a lightweight hanging baffle system made by 100% recycled PET, which can be placed to ceiling and provide significant sound absorption and desired aesthetics, within various types (private, special, commercial) of rooms.

The system can act as a false ceiling in a space/room and integrate in between/above of it, services as HVAC units, lights, fire water sprinklers, speakers and others.

The M-SYSTEM is guaranteed to bring a visually eye-catching ceiling solution to any project, through a cost-effective solu-







**SYSTEM** 

# DESIGNING AND INSTALLATION

Apart from being suppliers and manufactures, UNC provide Designing and Installation services.

A specialised team of Acoustic Consultants and an experienced team of Acoustic Materials/systems Installers could carry out an end-to-end service for Acoustic treatment.

### PRODUCT AVAILABILITY AND SAMPLES

UNC always have stock of the product and samples of each one of it. Feel free to contact us, in order to setting up a meeting in our showroom.



### **SPECIFICATIONS**



#### **MAINTENANCE**

It can be cleaned by using a dust broom, a vacuum cleaner or a hard-wrung cloth.



### **SUSTAINABILITY**

Those panels are made from sustainable materials. Panels are made from 100% polyester fiber. Containing a minimum of 75% post-consume recycled material (PET bottle-flake).



#### **NON TOXIC**

BS EN 717-1 E0 Formaldehydefree environmental test. It does not contain chemical binders including formaldehyde and support safer indoor air quality.



### **FLAME RETARDANT**

Class B-s1, d0 [EN-13501-1]







### **MATERIAL**


### **POLYESTER FIBER**

100% made from recycled PET

U-01	U-02	U-03	U-04	U-05	U-06
U-07	U-08	U-09	U-10	U-11	U-12
U-13	U-14	U-15	U-16	U-17	U-18
U-19	U-20	U-21	U-22	U-23	U- 24
U-25	U-26	U-27	U-28	U-29	U-30
U-31	U-32	U-33	U-34	U-35	U-36
U-37	Ü-38	U-39	U-40	U-41	U-42
U-43	U-44	U-45	U-46	U-47	U-48
U-49	U-50	U-51	U-52	U-53	U-54
U-55	U-56	U-57	U-58		









SYSTEM

### **STANDARD DIMENSIONS AND TYPES**

### **CROSS MODULAR**

### Module sizes:

1060x1060mm & 2120x2120mm

### **Baffles Thickness:**


12mm

### Hanged method:

Galvanised steel hook and wire rope

### Hanged height:


Flexible (according to needs)



# CROSS MODULAR 0.1 CROSS MODULAR 0.2 Top viev Steel wire rope fixing 150 mr 200 mr Buffle











### STANDARD DIMENSIONS AND TYPES

### **ARC MODULAR**

### Module sizes:

1060x1060mm & 2120x2120mm

### **Baffles Thickness:**


12mm


### Hanged method:

Galvanised steel hook and wire rope

### Hanged height:


Flexible (according to needs)

















SYSTEM

### STANDARD DIMENSIONS AND TYPES











### **STANDARD DIMENSIONS AND TYPES**

### **EDGY MODULAR**

### **Module sizes:**

Ø 1200mm & Ø 1800mm

### **Baffles Thickness:**


12mm

### Hanged method:

Galvanised steel hook and wire rope

### Hanged height:

Flexible (according to needs)










SOUND ABSORPTION

M-SYSTEM Modular rotion coefficient measurement:



Frequency (Hz)

M-SYSTEM Modular Sound class D (aw=0.30) [according to ISO 354:2003 & ISO 11654:1997]

-0.1







### SOUND ABSORPTION

Frequency (Hz)	12mm		
100	0.01		
125	0.01	0.01	
160	0.01		
200	0.06		
250	0.06	0.08	
315	0.11		
400	0.17		
500	0.25	0.25	
630	0.34		
800	0.45		
1000	0.56	0.54	
1250	0.61		
1600	0.68		
2000	0.77	0.76	
2500	0.84		
3150	0.9		
4000	0.96	0.97	
5000	1.04		







### **Euro** phon Acoustics

Suite No: 238, Al Shafar Investment Building, Sheikh Zayed Road, Al Quoz, P.O. Box: 212688, Dubai, UAE

+971 4 268 4667

info@europhonacoustics.com www.europhonacoustics.com