

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006
(amended by Regulation (EU) 2020/878)

MELO Ground Coat / Concentrate

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	MELO Ground Coat / Concentrate
Product code	m002, m003

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture	Acoustic plaster
-------------------------------------	------------------

1.3. Details of the supplier of the safety data sheet

Company/Undertaking Identification	MELO Sounds by HDS Technology AG Seestrasse 74 8703 Erlenbach Telefon: +41 41 911 22 65 E-Mail: info@melo-sounds.com Contact for technical information: MELO Sounds by HDS Technology AG Telefon: +41 41 911 22 65 E-Mail: info@melo-sounds.com
---	---

1.4. Emergency telephone number	145 (Tox Info Schweiz)
--	------------------------

Revision date	29.05.2024
----------------------	------------

Version	24.05
----------------	-------

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008

Skin Sensitisation, Sub-Cat. 1A, H317
Hazardous to the aquatic environment, chronic, Cat. 3, H412

Additional information

For the full text of the phrases mentioned in this Section, see Section 16.

2.2. Label elements



Signal Word

Warning

Hazard Statements

H317: May cause an allergic skin reaction.
H412: Harmful to aquatic life with long lasting effects.

Precautionary statements

P101: If medical advice is needed, have product container or label at hand.
P102: Keep out of reach of children.
P261: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P280: Wear protective gloves, protective clothing, eye protection and face protection.
P362+P364: Take off contaminated clothing and wash it before reuse.
P501: Dispose of contents/ container to an approved waste disposal plant.

Supplemental information

None.

Product identifier

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1), CAS-No. 55965-84-9
2-methylisothiazol-3(2H)-one, CAS-No. 2682-20-4, EC-No. 220-239-6

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Components	Weight %	CLP Classification	Product identifier
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	<0.02%	Acute Tox. 4 H302, Skin Irrit. 2 H315, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 [Skin Sens. 1 H317: C ≥ 0,05 %]	CAS-No.: 2634-33-5 EC-No.: 220-120-9 Index-No: 613-088-00-6
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1)	<0.001%	Acute Tox. 2 H330, Acute Tox. 2 H310, Acute Tox. 3 H301, Skin Corr. 1C H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, EUH071 [Skin Corr. 1C H314: C ≥ 0,6 % ; Skin Irrit. 2 H315: 0,06 % ≤ C < 0,6 % ; Eye Dam. 1 H318: C ≥ 0,6 % ; Eye Irrit. 2 H319: 0,06 % ≤ C < 0,6 % ; Skin Sens. 1A H317: C ≥ 0,0015 %] , M-Factor Acute=100 chronic=100	CAS-No.: 55965-84-9 Index-No: 613-167-00-5
2-methylisothiazol-3(2H)-one	<0.02%	Acute Tox. 2 H330, Acute Tox. 3 H311, Acute Tox. 3 H301, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400, Aquatic Chronic 1 H410, EUH071 [Skin Sens. 1A H317: C ≥ 0,0015 %] , M-Factor Acute=10	CAS-No.: 2682-20-4 EC-No.: 220-239-6 Index-No: 613-326-00-9

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities None known.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move to fresh air in case of accidental inhalation of vapours. If breathing is difficult, give oxygen. Consult a physician for severe cases.
Skin contact	Remove contaminated clothes. Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If easy to do, remove contact lens, if worn. Protect unharmed eye. If eye irritation persists, consult a specialist.
Ingestion	Clean mouth with water and drink afterwards plenty of water. Do not induce vomiting. Do not ingest emetic. Consult a physician for severe cases.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in Section 11.
Take off contaminated clothing and shoes immediately.

4.3. Indication of any immediate medical attention and special treatment needed

Show this safety data sheet to the attending physician.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry extinguishing agent or carbon dioxide.

Unsuitable extinguishing media

High volume water jet.

5.2. Special hazards arising from the substance or mixture

In the event of a fire, formation of dangerous combustion gases and vapors is possible.
Carbon monoxide (CO), Carbon dioxide.

5.3. Advice for firefighters

Special protective equipment for firefighters

Wear self-contained breathing apparatus and protective suit.
Standard procedure for chemical fires.
In the event of fire and/or explosion do not breathe fumes.

Specific methods

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use extinguishing agents individually or in combination.
Pipe operators and support are to be equipped with respiratory protection.
Water mist may be used to cool closed containers.
Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Use personal protective equipment.
Ensure adequate ventilation.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.
Evacuate personnel to safe areas.

For emergency responders

Personal protection through wearing a tightly closed chemical protection suit and a self-contained breathing apparatus.
Ensure adequate ventilation.
Do not breathe vapours/dust.
Avoid contact with skin and eyes.

Evacuate personnel to safe areas.

6.2. Environmental precautions

Prevent product from entering drains.
Do not flush into surface water or sanitary sewer system.
Advise water authority if spillage has entered water course or drainage system.

6.3. Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4. Reference to other sections

See sections 8 and 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Wear personal protective equipment.
Use only with adequate ventilation.
Use only in well-ventilated areas.
Avoid inhalation, ingestion and contact with skin and eyes.
Avoid development of vapours/aerosols.
Use only clean and dry utensils.
Wash hands and exposed skin before eating, drinking or smoking and after work.
When using, do not eat, drink or smoke.
Do not empty into drains.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.
Store at room temperature in the original container.
Do not store together with food.
Store in a place accessible by authorized persons only.
Storage class 12.

7.3. Specific end use(s)

Use only in accordance with our recommendations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)

No data is available on the product itself.

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (CAS 55965-84-9)

Switzerland - Occupational
Exposure Limits - Developmental
Risk Groups

Developmental Risk Group C

Switzerland - Occupational
Exposure Limits - Sensitizers

Sensitizer (listed under 5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one and 2-methyl-2,3-dihydroisothiazol-3-one mixture in ratio 3:1)

Switzerland - Occupational
Exposure Limits - STELs -
(KZGWs) 0.4 mg/m³ STEL [KZGW] (inhalable dust)

Switzerland - Occupational
Exposure Limits - TWAs - (MAKs) 0.2 mg/m³ TWA [MAK] (inhalable dust)

2-methylisothiazol-3(2H)-one (CAS 2682-20-4)

Switzerland - Occupational
Exposure Limits - Developmental
Risk Groups Developmental Risk Group C

Switzerland - Occupational
Exposure Limits - STELs -
(KZGWs) 0.4 mg/m³ STEL [KZGW] (inhalable dust)

Switzerland - Occupational
Exposure Limits - TWAs - (MAKs) 0.2 mg/m³ TWA [MAK] (inhalable dust, listed under 5-Chloro-2-methyl-3(2H)-isothiazolone, mixture with 2-methyl-3(2H)-isothiazolone)

8.2. Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice.
General industrial hygiene practice.
Ensure adequate ventilation, especially in confined areas.
Avoid contact with skin, eyes and clothing.
Contaminated work clothing should not be allowed out of the workplace.
Wash hands and face before breaks and immediately after handling the product.
When using, do not eat, drink or smoke.
Keep away from food, drink and animal feedingstuffs.

Personal protection equipment

Respiratory protection In case of good ventilation no personal respiratory protective equipment required.
Breathing apparatus needed only when aerosol or mist is formed.
Respirator with combination filter for vapour/particulate (EN 14387).

Hand protection The selected protective gloves have to satisfy the specifications of Regulation (EU) No. 2016/425 and the standard EN 374 derived from it.
Gloves made of Nitril. Minimum layer thickness. ≥ 0.38 mm Break through time: ≥ 480 min.
Gloves made of Butyl. Minimum layer thickness. ≥ 0.50 mm Break through time: ≥ 480 min.

Eye protection Safety glasses with side-shields conforming to EN166.

Skin and body protection Wear suitable protective clothing
Wear suitable protective clothing.
Long sleeved clothing.

Thermal hazards No special measures required.

Environmental exposure controls No special measures required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid. Paste.
Colour	White.
Odour	Sweet.
Melting point/ freezing point:	Not determined
Boiling point or initial boiling point / range:	Not determined
Flammability:	not applicable
Lower and upper explosion limit:	not determined
Flash point:	370°C
Auto-ignition temperature:	not self-igniting
Decomposition temperature:	Not determined.
pH:	8.5-9
Kinematic viscosity:	No data available.
Solubility:	miscible (Water)
Partition coefficient n-octanol/water (log value):	not determined
Vapour pressure:	not determined
Density and/or relative density:	0.6g/cm ³
Relative vapour density:	No data available
Particle characteristics:	Not applicable.

9.2. Other information

9.2.1 Information with regard to physical hazard classes No information available.

9.2.2 Other safety characteristics No information available.

SECTION 10: Stability and reactivity

10.1. Reactivity	This material is non-reactive under normal ambient conditions.
10.2. Chemical stability	The product is chemically stable under normal ambient conditions (room temperature).
10.3. Possibility of hazardous reactions	No dangerous reactions when used as directed.
10.4. Conditions to avoid	Strong heating Strong sunlight for prolonged periods.
10.5. Incompatible materials	There are currently no known incompatible materials.
10.6. Hazardous decomposition products	See section 5

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	<p>Not classified based on the information available. No data is available on the product itself.</p> <p>1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (CAS 2634-33-5) Dermal LD50 Rat > 2000 mg/kg (ECHA_API) Oral LD50 Rat = 1020 mg/kg (NZ_CCID)</p> <p>reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (CAS 55965-84-9) Dermal LD50 Rabbit = 87.12 mg/kg (ECHA_API) Oral LD50 Rat = 53 mg/kg (NLM_CIP)</p> <p>2-methylisothiazol-3(2H)-one (CAS 2682-20-4) Dermal LD50 Rabbit = 200 mg/kg (NLM_HSDB) Inhalation LC50 Rat = 0.11 mg/L 4 h(EU_CLH) Oral LD50 Rat 232 - 249 mg/kg (EU_CLH) Oral LD50 Rat = 120 mg/kg (EU_CLH)</p>
Skin corrosion/irritation	Not classified based on the information available.
Serious eye damage/eye irritation	Not classified based on the information available.
Respiratory / Skin Sensitisation	May cause an allergic skin reaction.
Carcinogenicity	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Germ cell mutagenicity	Not classified as a germ cell mutagen (mutagenic).
Reproductive toxicity	Not classified as toxic to reproduction.
Specific target organ toxicity (single exposure)	May cause an allergic skin reaction.
Specific target organ toxicity (repeated exposure)	No data available.
Aspiration hazard	Not classified based on the information available.
Human experience	No data available.

11.2. Information on other hazards

Delayed and immediate effects and also chronic effects from short and long term exposure	May cause an allergic skin reaction.
---	--------------------------------------

Endocrine disrupting properties	The substance / mixture does not contain any components which, according to REACH Article 57 (f) or the delegated regulation (EU) 2017/2100 of the commission or the delegated regulation (EU) 2018/605 of the commission in amounts of 0, Have 1% or more endocrine disrupting properties.
Other information	No data available.

SECTION 12: Ecological information

12.1. Toxicity Harmful to aquatic life with long lasting effects.

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (CAS 2634-33-5)

EU - Ecolabel (66/2010) - Inherently biodegradable according to OECD guidelines.

Detergent Ingredient Database -
Aerobic Degradation

EU - Ecolabel (66/2010) - Not biodegradable under anaerobic conditions.

Detergent Ingredient Database -
Anaerobic Degradation

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (CAS 55965-84-9)

EU - Ecolabel (66/2010) - Inherently biodegradable according to OECD guidelines.

Detergent Ingredient Database -
Aerobic Degradation

EU - Ecolabel (66/2010) - The ingredient has not been tested.

Detergent Ingredient Database -
Anaerobic Degradation

2-methylisothiazol-3(2H)-one (CAS 2682-20-4)

EU - Ecolabel (66/2010) - Inherently biodegradable according to OECD guidelines.

Detergent Ingredient Database -
Aerobic Degradation

EU - Ecolabel (66/2010) - The ingredient has not been tested.

Detergent Ingredient Database -
Anaerobic Degradation

12.2. Persistence and degradability No data is available on the product itself.

12.3. Bioaccumulative potential No data is available on the product itself.

12.4. Mobility in soil No data is available on the product itself.

12.5. Results of PBT and vPvB assessment This substance / mixture does not contain any components in concentrations of 0.1% or higher that are either classified as persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

12.6. Endocrine disrupting properties The substance / mixture does not contain any components which, according to REACH Article 57 (f) or the delegated regulation (EU) 2017/2100 of the commission or the delegated regulation (EU)

2018/605 of the commission in amounts of 0, Have 1% or more endocrine disrupting properties.

12.7. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused products

Product residues are in compliance with the regulation on the avoidance and the Disposal of waste (waste ordinance, VVEA, SR 814.600), the ordinance on the movement of waste (VeVA, SR 814.610) and the UEVK ordinance on lists for disposal with waste (LVA, SR 814.610.1). chemicals in keep the original containers. Do not mix with other waste.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1. UN number or ID number Not applicable.

14.2. UN proper shipping name Not applicable.

14.3. Transport hazard class(es) Not applicable.

14.4. Packing group Not applicable.

14.5. Environmental hazards Not applicable.

14.6. Special precautions for user Not applicable.

14.7. Maritime transport in bulk according to IMO instruments Not applicable.

UN Model Regulations

ADR/RID Not regulated.

IMDG Not regulated.

IATA Not regulated.

Further Information Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2): Young people undergoing basic vocational training may only work with this product if the relevant training ordinance makes provision for them to do so with a view to enabling them to achieve their training objectives and if the preconditions for the training plan have been met and the applicable age restrictions have been complied with. Young people who are not completing any basic vocational training are not permitted to work with this product. Employees of either sex who are under 18 years old are classed as young people.

Water contaminating class (WGK Germany) = 1

Storage class 12

VOC (CH) = 0%

1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (CAS 2634-33-5)

EU - Biocides (1062/2014) - Annex II Part 1 - Supported Substances	339 Product type 2, 6, 9, 11, 12, 13 (Commission Implementing Decision 2022/2325/EU, 220-120-9)
EU - Biocides (2007/565/EC) - Substances and Product-Types Not to Be Included in Annexes I, IA and IB to Directive 98/8/EC	Product type: 7 Product type: 10 Product type: 22
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Substances	Present

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]; and 2-methyl-4-isothiazolin-3-one [EC no. 220-239-6] (3:1) (CAS 55965-84-9)

Switzerland - Biocides - Annex II - Active Substances - Minimum Purity	579 g/kg Sunset Date: 06/30/2027 (dry weight)
--	---

Switzerland - Biocides - Annex II - Active Substances - Product Type	Product Type: 2 Product Type: 4 Product Type: 6 Product Type: 11 Product Type: 12 Product Type: 13
--	---

EU - Cosmetics (1223/2009) - Annex V - Preservatives - Maximum Authorised Concentration	0.0015 % MAC (in the ratio 3:1 of 5-Chloro-2-methylisothiazol-3[2H]-one and 2-Methylisothiazol-3[2H]-one the use of the mixture of Methylchloroisothiazolinone (and) Methylisothiazolinone is incompatible with the use of Methylisothiazolinone alone in the same product)
---	--

EU - Biocides (2007/565/EC) - Substances and Product-Types Not to Be Included in Annexes I, IA and IB to Directive 98/8/EC	Product type: 7 (mixture) Product type: 9 (mixture) Product type: 10 (mixture)
--	--

EU - Biocides (528/2012/EU) - Active Substances	<p>2 - Disinfectants and algacides not intended for direct application to humans or animals (Commission Implementing Regulation 2016/131/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p> <p>4 - Food and feed area disinfectant (Commission Implementing Regulation 2016/131/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p> <p>6 - Preservatives for products during storage (Commission Implementing Regulation 2023/402/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p> <p>CMIT/MIT solvent based)</p> <p>11 - Preservatives for liquid-cooling and processing systems (Commission Implementing Regulation 2016/131/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p> <p>12 - Slimicides (Commission Implementing Regulation 2016/131/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p> <p>13 - Working or cutting fluid preservatives (Commission Implementing Regulation 2016/131/EU, listed under product family CMIT-MIT Aqueous 1.5-15)</p>
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75. (B)
EU - REACH (1907/2006) - List of Registered Substances	Present
2-methylisothiazol-3(2H)-one (CAS 2682-20-4)	
TEDX (The Endocrine Disruption Exchange) - Potential Endocrine Disruptors	Present
Switzerland - Biocides - Annex II - Active Substances - Minimum Purity	95 w/w% Sunset Date: 09/30/2026 950 g/kg Sunset Date: 12/31/2028 950 g/kg Sunset Date: 03/31/2029
Switzerland - Biocides - Annex II - Active Substances - Product Type	Product Type: 13 Product Type: 11 Product Type: 12
EU - Cosmetics (1223/2009) - Annex V - Preservatives - Maximum Authorised Concentration	0.0015 % MAC (including of a mixture in the ratio 3:1 of 5-Chloro-2-methylisothiazol-3[2H]-one and 2-Methylisothiazol-3[2H]-one the use of the mixture of Methylchloroisothiazolinone (and) Methylisothiazolinone is incompatible with the use of Methylisothiazolinone alone in the same product)
EU - Biocides (1062/2014) - Annex II Part 1 - Supported Substances	341 Product type 6 (220-239-6)
EU - Biocides (2007/565/EC) - Substances and Product-Types Not to Be Included in Annexes I, IA and IB to Directive 98/8/EC	Product type: 7 Product type: 9 Product type: 10 Product type: 22
EU - Biocides (528/2012/EU) - Active Substances	13 - Working or cutting fluid preservatives (Commission Implementing Regulation 2015/1726/EU) 12 - Slimicides (Commission Implementing Regulation 2017/2004/EU) 11 - Preservatives for liquid-cooling and processing systems (Commission Implementing Regulation 2017/1278/EU)
EU - REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	Use restricted. See entry 75.
EU - REACH (1907/2006) - List of Registered Substances	Present

15.2. Chemical safety assessment

No chemical safety assessment has been carried out for this substance/product.

SECTION 16: Other information

Revision Note

First version.

Key or legend to abbreviations and acronyms

ACGIH: American Conference of Industrial Hygienists
CLP: Classification according to Regulation (EC) No. 1272/2008 (GHS)
DNEL: Derived No Effect Level .
EWC: European Waste catalogue code
LOAEC: Lowest Observed Adverse Effect Concentration
MAK: Occupational exposure limit.
NOAEC No Observed Adverse Effect Concentration
NOAEL: No observed adverse effect level .
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational Exposure Limits for Hazardous Agents in the Workplace
OSHA: Occupational Safety and Health Administration (USA)
PEC: Predicted exposure concentration .
PEL: Permissible Exposure Limit
PNEC: Predicted No Effect Concentration .
STEL: Short Term Exposure Limit
TLV: Threshold limit value
TWA: time weighted average
VeVA: Ordinance on the Treatment of Waste (SR 814.610)
VOC: Volatile organic compounds (VOC) content
WEL: workplace exposure limit

Classification procedure

Classification according to Regulation (EC) No. 1272/2008.

Full text of phrases referred to under sections 2 and 3

EUH071: Corrosive to the respiratory tract.
H301: Toxic if swallowed.
H302: Harmful if swallowed.
H310: Fatal in contact with skin.
H311: Toxic in contact with skin.
H314: Causes severe skin burns and eye damage.
H315: Causes skin irritation.
H317: May cause an allergic skin reaction.
H318: Causes serious eye damage.
H330: Fatal if inhaled.
H400: Very toxic to aquatic life.
H410: Very toxic to aquatic life with long lasting effects.
H412: Harmful to aquatic life with long lasting effects.

Training advice

Use only in accordance with our recommendations.

Instructions for use

For industrial application only.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.